Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5220674".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:30
S2	7	virtual near15 (input near output) near15 server and control\$5 near12 client\$4 and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:38
S3	90	server same control\$5 near12 client\$4 near15 (i/o or (input near2 output)) near15 (device\$1 or equipment\$1 or instrument\$1) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:39
S4	17	server same control\$5 near12 client\$4 near15 (i/o or (input near2 output)) near15 (device\$1 or equipment\$1 or instrument\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:46
S5	10	(remote\$4 or server\$6) near10 virtual near2 port same client near10 port and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:58
S6	5	virtual near2 port same client near10 port and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:54
S7	5	virtual near2 port same client near10 port and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:55

			T	·-		
S8	7	virtual near2 port same (input or output or i/p) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 19:57
S9	125	server near10 port same client near10 port and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:15
S10	. 10	server near10 port same client near10 port same (i/o or input/output) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:10
S11	14	server near15 port same client near15 port same (i/o or input/output) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:02
S12	4	server near15 port same client near15 port same (i/o or input/output) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and client near15 handler\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:04
S13	40	server near10 driver near15 client same (i/o or input/output) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:06
S14	12	server near10 driver near15 client same (i/o or input/output) and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:10
S15	23	port near15 client same (scanner\$1 or reader\$1) and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:19

•								
S16	3817	virtual near5 port interfac\$4 same client near10 handler and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:20		
S17	0	virtual near5 port near15 interfac\$4 same client near10 handler and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:20		
S18	0	virtual near15 port near15 interfac\$4 same client near10 handler and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:20		
S19	1	virtual near15 port near15 client near10 handler and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:21		
S20	0	server near15 driver near15 port near15 client near10 handler and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:21		
S21	13	server near15 (driver or port) near15 client near10 handler and (@ad<"20000926" or @rlad<"20000926") and server near10 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/30 20:21		
S22	36	server same (client or client\$side\$1) near10 (port or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:33		
S23	52	(interfac\$4 or control\$4) near15 (client or client\$side\$1) same (port or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:34		

		LAST Searc		<i>'</i>		
S24	13	(interfac\$4 or control\$4) near15 (client or client\$side\$1) same i/o near5 (port or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:35
S25	13	(interfac\$4 or control\$4) near15 (client or client\$side\$1) same i/o near5 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:35
S26	. 13	(interfac\$4 or control\$4) near15 (client or client\$side\$1) same i/o near5 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1 not i	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:39
S27	32	(interfac\$4 or control\$4) near15 (client or client\$side\$1) same (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1 not	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:42
S28	24	(client or client\$side\$1) near15 i/o near15 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and server near15 driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:46
S29	2057	driver same i/o near15 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:59
\$30	35	(remote or server) near10 driver same i/o near15 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:55

	*							
531	9	(remote or server) near10 driver\$1 same (client or client\$side\$1)near15 i/o and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:58		
532	40	(remote or server) same (client or client\$side\$1)near15 i/o and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:58		
S33	14	(remote or server) same (client or client\$side\$1)near15 i/o and (@ad<"20000926" or @rlad<"20000926") and server same driver\$1 and i/o near2 port\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:58		
S34	154	driver same i/o near15 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 13:59		
S35	181	driver same (i/o or (input near2 output)) near15 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 14:00		
S36	175	driver same (i/o or (input near output)) near15 (port\$1 or device\$1 or peripheral\$1) and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 14:00		
S37	9	server near10 driver same (client or (client near side\$1)) near15 (i/o or (input near output)) and (@ad<"20000926" or @rlad<"20000926") and driver\$1 and i/o near2 port\$1 and client and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 16:56		
S38	176	(client or (client near side\$1)) near15 (i/o or (input near output)) and driver near20 server and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 16:59		

			•			
S39	74	(client or (client near side\$1)) near15 (i/o or (input near output)) and driver near20 server same (i/o or (input near output)) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 16:59
S40	49	(client or (client near side\$1)) near15 (i/o or (input near output)) and driver near20 server same (client or (client near side\$1)) near15 (i/o or (input near output)) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 18:07
S41		server same (client or (client near side\$1)) near15 (i/o or (input near output)) near15 (resource\$1 or device\$1) and driver near20 server and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 18:20
S42	119	server same (client or (client near side\$1)) near15 (i/o or (input near output)) and driver near20 server and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 18:20
S43	63	server same (client or (client near side\$1)) near15 (i/o or (input near output)) and driver near20 server and (@ad<"20000926" or @rlad<"20000926") not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 18:48
S44	6	server same (client or (client near side\$1)) near15 (i/o or (input near output)) and driver near20 server near15 (client or (client near side\$1)) near15 (i/o or (input near output))and (@ad<"20000926" or @rlad<"20000926") not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 18:22
S45	26	driver near15 (interfac\$4 or control\$4) near15 (client or (client near side\$1)) near15 (i/o or (input near output)) and (@ad<"20000926" or @rlad<"20000926") not \$41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/31 18:49
S46	1979	(server or server\$side\$1) near10 driver and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:11

9/12/06 1:52:27 PM C:\Documents and Settings\PLee2\My Documents\EAST\Workspaces\09788540pcl.wsp Page 6

S47	668	(server or server\$side\$1) near10 driver same (client or client\$side\$1) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:12
S48	168	(server or server\$side\$1) near10 driver same (client or client\$side\$1) near15 i/o or periphal\$1 and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:13
S49	43	(server or server\$side\$1) near10 driver same (client or client\$side\$1) near15 (i/o or input\$output) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:32
S50	97	(server or server\$side\$1) near10 driver near15 (i/o or input\$output) and (@ad<"20000926" or @rlad<"20000926")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:33
S51	68	(server or server\$side\$1) near10 driver near15 (i/o or input\$output) and (@ad<"20000926" or @rlad<"20000926") not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:35
S52		(server or server\$side\$1) near10 driver near15 (i/o or input\$output) and (@ad<"20000926" or @rlad<"20000926") not S49 and client	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/01 10:35
S53	0	host near channel near adaptor\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 13:58
S54	1	host near channel near adapte\r\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 13:58
S55	1	host near channel near adapter\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 14:07
S56	1	host near2 adapter\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 14:05
S57	1	channel\$1 near2 adapter\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 14:05
S58	1	channel near adapter\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 14:44

S59	1	driver\$1 and "20040107304"	US-PGPUB; USPAT	OR	OFF	2006/09/01 14:45
-----	---	-----------------------------	--------------------	----	-----	------------------